# **NEW COLLECTION**





#### UPPER Technical fabric

# LINING **SmellStop**

**BERLIN** 

**B1704A** 

(20345 - 2022)S1PS ESD SC LG FO SR

Sizes: 35 – 48

Shape

RUN@WORK

LINE

Antibacterial and anti-odor lining. Prevents the proliferation of microorganisms responsible for bad odors and mycosis.

# FOOTBED Dry'n Air<sup>5</sup> COMFORT CUB3

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

# **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

TOECAP SlimCap

# SOLE AirTech<sup>®</sup> + tpu-∫ĸın<sup>®</sup>

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect.

SECTORS OF USE



4

# **PLUS**

TECHNOLOGY **HI-FLAP** 

The combination of Hi-flap technology and pyramidal hole design reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.



4

# **TPU HEEL SUPPORT**

helps stability in the heel.

**HIGH HEEL PROFILE** designed for drivers

## **CUSHIONING EFFECT**

Cushioning effect thanks to the pillow-shaped elements present in the plant. .

# LADDER GRIP

with shank reinforcement

### **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# Technical fabric LONDON **B1704B**

RUN@WORK

(20345 - 2022)S1PS ESD SC LG FO SR

Sizes: 35 – 48

Shape

LINE

LINING **SmellStop** 

UPPER

Antibacterial and anti-odor lining. Prevents the proliferation of microorganisms responsible for bad odors and mycosis.

# FOOTBED Dry'n Air<sup>5</sup> COMFORT CUB3

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. CUB3 technology produces exceptional effects on breathability, lightness and cushioning.

# ANTI-PERFORATION INSERT

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

TOECAP SlimCap

# SOLE AirTech<sup>®</sup> + tpu-∫ĸın<sup>®</sup>

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect.

SECTORS OF USE



The combination of Hi-flap technology and pyramidal hole design reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

BASE

FEEL THE COMFORT

3

4

**TPU HEEL SUPPORT** helps stability in the heel.

**HIGH HEEL PROFILE** designed for drivers

# **CUSHIONING EFFECT**

Cushioning effect thanks to the pillow-shaped elements present in the plant. .

# LADDER GRIP

with shank reinforcement

## **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# UPPER

VEGAN

**SYDNEY** 

**B1704C** 

(20345-2022) S1PS ESD SC LG FO SR

Sizes: 35 – 48

Shape

RUN@WORK

LINE

Technical fabric

# SmellStop

Antibacterial and anti-odor lining. Prevents the proliferation of microorganisms responsible for bad odors and mycosis.

# Dry'n Air<sup>5</sup> comfort cubs

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

# **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

SlimCap

# SOLE AirTech° + tpu-∫кıм°

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect.



SECTORS OF USE

# **PLUS** TECHNOLOGY

HI-FLARP The combination of Hi-flap technology and pyramidal hole design reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

BASE

FEEL THE COMFORT

2 TPU HEEL SUPPORT helps stability in the heel.

4

HIGH HEEL PROFILE designed for drivers

## CUSHIONING EFFECT

Cushioning effect thanks to the pillow-shaped elements present in the plant.

# LADDER GRIP

with shank reinforcement

### **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IZZAZIONE.



# UPPER

**NEW YORK** 

RUN@WORK

B1704D

(20345-2022) S1PS ESD SC LG FO SR

Sizes: 35 – 48

Shape

LINE

Technical fabric

# SmellStop

Antibacterial and anti-odor lining. Prevents the proliferation of microorganisms responsible for bad odors and mycosis.

# Dry'n Air<sup>5</sup> comfort cubs

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

# **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

SlimCap

# SOLE AirTech° + tpu-∫кıм°

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect. SECTORS OF USE

# **PLUS** TECHNOLOGY

HI-FLARP The combination of Hi-flap technology and pyramidal hole design reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

2

4

**TPU HEEL SUPPORT** helps stability in the heel.

HIGH HEEL PROFILE designed for drivers

# **CUSHIONING EFFECT**

Cushioning effect thanks to the pillow-shaped elements present in the plant.

# LADDER GRIP

with shank reinforcement

### **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# ROMA B1704E

### (20345-2022) S1PS ESD SC LG FO SR



Sizes: **35 – 48** 



Technical fabric

UPPER

# SmellStop

Antibacterial and anti-odor lining. Prevents the proliferation of microorganisms responsible for bad odors and mycosis.

# Dry'n Air<sup>5</sup> comfort cubs

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

# **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight..

SlimCap

# SOLE AirTech° + tpu-∫кıм°

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect. SECTORS OF USE

# PLUS TECHNOLOGY

HI-FLARP The combination of Hi-flap technology and pyramidal hole design reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

2

**TPU HEEL SUPPORT** helps stability in the heel.

HIGH HEEL PROFILE designed for drivers

## 4. CUSHIONING EFFECT Cushioning effect thanks

Cushioning effect thanks to the pillow-shaped elements present in the plant. .

# LADDER GRIP

with shank reinforcement

## **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# PARIS B1705A

(20345-2022) S1PS ESD SC LG FO SR



Sizes: **35 – 48** 



# SmellStop

**UPPER** Technical fabric

Antibacterial and anti-odor lining. Prevents the proliferation of microorganisms responsible for bad odors and mycosis.

# Dry'n Air<sup>5</sup> comfort cubs

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

# **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

SlimCap

SOLE AirTech<sup>®</sup> + tpu-∫ĸın<sup>®</sup>

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect.



SECTORS OF USE



# PLUS

TECHNOLOGY HI-FLAP

The combination of **Hi-flap** technology and **pyramidal hole design** reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.



3

4

**TPU HEEL SUPPORT** helps stability in the heel.

HIGH HEEL PROFILE

designed for drivers

# **CUSHIONING EFFECT**

Cushioning effect thanks to the pillow-shaped elements present in the plant. .



with shank reinforcement

**ANTIABRASION OVERCAP** 

Integrated abrasion resistant overcap, for a longer life.

\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



BOA

# STOCKHOLM B1708A

### (20345-2022) S1PS ESD SC LG FO SR



Sizes: **35 – 48** 



# SmellStop

**UPPER** Technical fabric

Antibacterial and anti-odor lining. Prevents the proliferation of microorganisms responsible for bad odors and mycosis.

# Dry'n Air<sup>5</sup> comfort cubs

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

# ANTI-PERFORATION INSERT

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

SlimCap

# SOLE AirTech° + tpu-∫кıм°

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect. SECTORS OF USE



4

# PLUS

# HI-FLAP

The combination of **Hi-flap** technology and **pyramidal hole design** reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

2

4

**TPU HEEL SUPPORT** helps stability in the heel.

HIGH HEEL PROFILE designed for drivers

# CUSHIONING EFFECT

Cushioning effect thanks to the pillow-shaped elements present in the plant.

# LADDER GRIP

with shank reinforcement

## **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# ATHENS B1711A

(20345-2022) S3S ESD SC LG FO SR



Sizes: **35 – 48** 



# SmellStop

UPPER Microfibre

Antibacterial and anti-odor lining. Prevents the proliferation of microorganisms responsible for bad odors and mycosis.

# Lory'n Air<sup>5</sup> comfort cubs

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

## **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

SlimCap

# SOLE AirTech° + tpu-∫кім°

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect. SECTORS OF USE

Δ

# PLUS TECHNOLOGY

HI-FLARP The combination of Hi-flap technology and pyramidal hole design reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

2

4

6

**TPU HEEL SUPPORT** helps stability in the heel.

HIGH HEEL PROFILE designed for drivers

## **CUSHIONING EFFECT**

Cushioning effect thanks to the pillow-shaped elements present in the plant.

# LADDER GRIP

with shank reinforcement

### **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# AMSTERDAM B1711B LINE RUN©WORK

**UPPER** Waxy leather

FOOTBED

**(20345-2022)** S3S ESD LG FO SR



Sizes: 35 – 48

Shape

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

Dry'n Air<sup>5</sup> COMFORT CUB3

## **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

TOECAP SlimCap

# SOLE AirTech° + tpu-∫кıм°

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect. SECTORS OF USE



The combination of **Hi-flap** technology and **pyramidal hole design** reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.



4

**TPU HEEL SUPPORT** helps stability in the heel.

HIGH HEEL PROFILE

designed for drivers

#### CUSHIONING EFFECT

Cushioning effect thanks to the pillow-shaped elements present in the plant.



with shank reinforcement

#### **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# MADRID B1711C LINE RUN@WORK

(20345-2022) S1PS ESD LG FO SR



Sizes: 35 – 48

Shape

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. CUB3 technology produces exceptional effects on breathability, lightness and cushioning.

### **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

SlimCap

UPPER Suede leather

LINING

**SmellStop** 

odors and mycosis.

FOOTBED

Antibacterial and anti-odor lining. Prevents the proliferation of

microorganisms responsible for bad

# SOLE AirTech° + tpu-∫кıм°

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect.



SECTORS OF USE



# PLUS

TECHNOLOGY HI-FLAP

The combination of **Hi-flap** technology and **pyramidal hole design** reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

BASE

FEEL THE COMFORT

2 **TPU HEEL SUPPORT** helps stability in the heel.

4

HIGH HEEL PROFILE designed for drivers

### CUSHIONING EFFECT

Cushioning effect thanks to the pillow-shaped elements present in the plant. .



with shank reinforcement

**ANTIABRASION OVERCAP** 

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# BOSTON B1712A

### (20345-2022) S3S ESD SC LG FO SR



Sizes: 35 – 48

Shape

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

Dry'n Air<sup>5</sup> COMFORT CUB3

# **ANTI-PERFORATION INSERT**

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

SlimCap

SOLE

UPPER Microfibre

LINING

**SmellStop** 

odors and mycosis.

FOOTBED

Antibacterial and anti-odor lining. Prevents the proliferation of

microorganisms responsible for bad

AirTech<sup>®</sup> + tpu-∫ĸın<sup>®</sup>

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect.



SECTORS OF USE



# **PLUS** TECHNOLOGY

HI-FLAP The combination of Hi-flap technology and pyramidal hole design reduces fatigue and offers

walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

2

4

**TPU HEEL SUPPORT** helps stability in the heel.

HIGH HEEL PROFILE designed for drivers

## CUSHIONING EFFECT

Cushioning effect thanks to the pillow-shaped elements present in the plant.

# LADDER GRIP

with shank reinforcement

### **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.



# DUBLIN **B1712B** LINE RUN@WORK

### (20345 - 2022)S3S ESD LG FO SR



Sizes: 35 – 48

Shape

Equipped with a system of channels and holes, it promotes air circulation between the foot and sole. RESULT: Maximum breathability and dry feet. **CUB3** technology produces exceptional effects on breathability, lightness and cushioning.

Dry'n Air<sup>5</sup> COMFORT CUB3

# ANTI-PERFORATION INSERT

Fresh'n Flex Plus Super Light. New high-performance perforation resistant insert (PS-PL, nail 3mm\4,5mm) and ultralight.

TOECAP SlimCap

UPPER Waxy leather

LINING

**SmellStop** 

odors and mycosis.

FOOTBED

Antibacterial and anti-odor lining. Prevents the proliferation of

microorganisms responsible for bad

# SOLE AirTech<sup>®</sup> + tpu-∫ĸın<sup>®</sup>

Tread thickness reduced to values never achieved before. Result. Greater elasticity and cushioning effect.

SECTORS OF USE



# **PLUS** TECHNOLOGY **HI-FLAP**

The combination of Hi-flap technology and pyramidal hole design reduces fatigue and offers walking assistance through cushioning, dissipation, energy restitution and ensures greater stability during movements.

4

helps stability in the heel.

**TPU HEEL SUPPORT** 

**HIGH HEEL PROFILE** designed for drivers

# **CUSHIONING EFFECT**

Cushioning effect thanks to the pillow-shaped elements present in the plant. .



with shank reinforcement

### **ANTIABRASION OVERCAP**

Integrated abrasion resistant overcap, for a longer life.



\*SmellStop: Treatment carried out with the biocide Zinc pyrithione (CAS-No. 13463-41-7) of Product Type PT 09 which counteracts the deposit of microorganisms on the surface of the materials.

THE DATA CONTAINED IN THIS DOCUMENT IS THE PROPERTY OF BASE PROTECTION. ANY REPRODUCTION, EVEN PARTIAL, WITHOUT AUTHORIZATION IIZZAZIONE.

BAS